



105

0545-2 L8

50

Diary of
W. L. Abbott

TRADE R MARK

Capt. Se-Clair & Dr. Hartman
on Park de Palo
Lt. Wadsworth at St. Nicholas Hotel
Col. Tracy Capt. Hartman
Dr. Helm
Dr. Moore at Torrance
Capt. Vardon
Lt. Roy
Lt. Clark (Gardiner) -

O. J. Robin coll. customs
Jérémie
F. Lempé U.S. Cons. agt. Samana
Capt (Dr.) Drifus P.M. Sanchez U.S.A.
Maj. Hoyt. merino
Lieut. Carruthers. -
Capt Arnold Guardia Sam.
" Doty.
Lieut. Palmer
Dulles left on Caicos.
R.R. man at La Vega.
Maj. Scaberry Samana
Lieut. McHugh C.M. (Guardia)
Capt. Hickie P.M. P. Feb. 1920
gave me permit

3 cases Nat. Hist.
specimens shipped
S.S. Algonguin
Sep. 13th 1916. from
Samana S.D.

-
1. Bird skins small ~~large~~ butterflies
 2. Bird skins larger ~~small~~ butterflies. rats.
 3. aleoholica
pottery stone implements
& containers
-

2 cases to be shipped per
S.S. Algonguin. Sep. 14 - 1919
via N.Y.

G. A. Payne - Englishman
who is taking cotton plants
at Etang. 1920. May.

Worral aest. collector
Customs Port au Prince. Feb.
1920

Lies. Mills house at
Pétionville. May. 1920

Belgian V. Consul
staying at Kenscott. May. 1920.

Cory's Birds S. D.

1. *Turdus aliciae* 6.60
abv dull olive - sides head
ash gray - Underparts white -
Breast & Throat brownish
shaped markings -
2. *Mimocichla ardesiac* 10.
Gen. plumper plumbous, a
patch of black behind eye
below & in pink of eye & base
of up. mandible
Throat white streaked w. black.
Bill & feet ver. orange -
3. *Mimus dominicus* 8.50
ab. gray brown, underparts white.
Close to *M. orphicus*.
4. *M. varia*
5. *Pomatorhinus americanus*
6. *Dendrococtes tigrinus*
7. *D. coccineus*

8. *D. dominica* 5.10
9. *D. maculosa* 4.50
10. *D. coronata*
11. *D. discolor*
12. *D. palmarum*
13. *D. pinus*
14. *S. anna sulphurea*
15. *S. motacilla* 6
dark olive brown, white super.
ciliaceous line - white breast;
breast & sides dark green & black
spots
16. Grizzly Tropic
17. *Ligea polysticta* 5.50
Crown, nape, upper part of back
slaty plumbeous. Rest of back &
upper surface of wings & tail
yellow green. Throat, breast &
sides gray plumbeous. Under

surf. tail dull grey
Taken at Almácera - Guayaquil.

18 - *S. nitidula*

19: Cormicka bonanivore 4.40
♂ up. surface including head, chest &
wings dull black.
cervical ring white stripes

Throat dark slate. Underparts bright
yellow.

20 Progne dominicensis 7.
upper surf. steel blue
underparts white
Samana -

21 Hirundo ocularis 5
above bright bluish green, no
golden reflections on back
up. wing-coverts dull tinged w.
pale blue. underparts white.
H. ruficapilla from Jamaica

differ in having up parts
bright golden green & looks
blue in heat.
La Vega.

22. *Petroschelides fulva*. 4.70
Throat & sides of breast pale
rufous brown. Belly & rump
full white. Top of head black
black also back.
Fronthead & rump dark rufous brown.

23. *Vireo cassiniae*. 5.80.

24. *Dulox dominicus*. 6.20
ab. dark olive brown. Throat white
Heavily streaked below. Rump
green. Prim. & Sec. dark brown
edged w. green.
Tail dark brown except w. green.
Iris orange.

(Cory)

25. *Mycadestes montanus*
upper parts & r. cent. I. 7'
feathers slaty gray.
Prim. & dec. brownish black,
showing white near base of inner
wts. Throat, cream & belly
reddish brown.

Fort Jacques - Haïti 7.
outer g. feathers white w. black sharp

26. *Spindalis multicolor*. 6.40.
(Tangarine)

Head black, a supral. stripe
from forehead to nape white.
a black stripe thru eye to nape.
chin white. Throat yellow in middle
rest throat black.

back olive, wings chestnut.
a broad yellow collar across p.,
abdomen & breast white.
Lc Corp & Pastry Plate.

27. *Phoenicophlebius polynotatus*

Top of head & neck black - spots of
white on side forehead. Back
brownish, breast, bright yellow
green - sides slatey - throat
white.

28. *P. dominicensis* (Cory)

Jacmel. 6.80

Front of head black - a
spot of white above & below eye
chin white. Head neck & on
sides grey plumbeous. Back
wings yellow green.

29. *Calyptophilus frugivorus* (Cory)

Top of head brown, shading into slatey.
upper part brownish olive -
throat white, breast white

plumbeous olive -
prim. & sec. olive brown.
a patch of bright yellow under
base of wing
American - Yucatan Robin -

30. *Euphonia musica* - 4.40
crown light blue - forehead, one
spot & wing brown orange.
throat, cheeks, back & tail blue
black - purplest rufous, very
prominent on back.
Frequent high trees -

31. *Phainopepla zena* - 4.10
entire plumage dull olive.
Breast & throat black, wings & tail
olive.

32. *P. olivacea* 4.
Ab. dull olive - a supercili
stripe, a patch on chin, & upper
throat orange yellow.
undrpt. olivaceous gray
breast black
33. *Lophornis dominicensis*
Waite - 4.10

Head & throat black. Back & scap.
olive olive - up. t. crown yellow.
ext. l. w. center feathers, on
ter web of pt & tips of all
blackish brown. Rest of l.
bright yellow. Breast yellow.

- 34 *Lophornis*
Lophornis violaceus 5.80
Entire plumage black. Throat, chin
etc & breast over eye pale
reddish brown.

Jortuya name
TéKok (Ira cock)

35. *Icterus dominicensis*.

Sin. plumage black. Upper
wing coverts, lower $\frac{1}{2}$ back, flanks,
crissum bright yellow. 7.10.

36. *Quiscalus niger* 10.25-

37. *Corvus leucognaphalus*
18

38. *C. solitarius*. 15-

39. *Pitangus gabbi* 7.30

Top of head & cheeks dark brown.
feathers concealing patch orange
yellow. Back brown, becoming
darker toward wings. Wings & I.
brown. Extir. under surf. white.

40. *Tyrannus dominicensis*

ab. gray ash, darker on tail. 8.50.
Dull black pale behind eye -
underparts whitish, only on sides of
breast. Wings brown. Underwing co-
verts pale yellow. Tail brown.

41. *Myiarchus dominicensis* 6.50.

Crown dark olive brown, becoming
lighter on back. Throat & breast olive.
Belly crimson & under tail coverts
yellow. 2 dull white wing bands.
Two central T. feathers dark brown,
all rest having narrow (from half to)
inner web rufous to tip.

42. *Contopus hispaniolensis*

gray plumage gray olive. 5.50.
Feathers of crown edged with olive.
Throat olive becoming olive on sides of
breast, & yellow brown on abdomen
& crimson. T. brown.

43. Empidonax nemorosus 4.30
ab. granolivus darker on crown
brighter on rump. ♂, dark brown -
Throat gray white, breast, abdomen &
under ♂, coverts pale whitish fulvous.

44. Antrostomus carolinensis.
♂ Lateral filaments to bristles ¹¹
on mouth - gen. color pale
rufous, mottled w. reddish brown,
crown streaked w. black.
Terminal $\frac{2}{3}$ T. feathers except 4
central ones rufous white.
♀ Lacking white on T.
(Polo Platay)

45. Chordeiles minor 8.25

46. Caprimulgus phoenicobius 3.75[°]
gen. plumage dull green black.
Throat, rump, abdomen & median line
in middle of belly white.

47 *Oreopelia chrysia* 284.

(*Geotrygon martinica*)

Pileum & nape walnut brown, overlaid by metallic green or purple. Hind-neck coppery bronze. Back, scapulars, & lesser wing coverts reddish brown. A broad white stripe passing beneath eye - Chin & throat white passing into pale vinaceous drab on lower neck, chest & breast. Abdomen buffy white.

48 *Oreopelia montana* 250.

♂ upper parts chestnut, wings lighter. A broad stripe of pink cinnamon molting, beneath bar orbital space, to auric. region. Beneath this a broad stripe of saffron chestnut. Chin & throat pink cinnamon. Fore neck & chest vinaceous fawn, fading into warm buff on under parts.

♀ upper parts light olive brown or deep drab

& dark brown olive - paler on head.

Torso & chest dull & deep cinnamon.

49 *Chaemopelia passerina* of laida
160-175

50 *Melopselia asiatica asiatica* 260.
white winged dove.

Forehead fawn color, darker on crown & occiput.
Back, scapulars, & wing coverts deep buffy brown.
Distal wing coverts mostly white,
forming elongated patch from bend of wing to
extremity of greater coverts.
Sides of head & neck, chest, & breast wood brown,
and region white.

51 *Zenaida Zenaida Zenaida* 240-300.
Tail not more than $\frac{2}{3}$ long as wing.
W. 156 J. 88

52 *Zenaidura macroura macroura*
287 J. 123 W. 135-

53 *Coccyzus americanus americanus*
yellow-billed cuckoo 290
~~Head & neck very diff from color of breast.~~

54 *Coccyzus minor maynardi*
under parts much paler alv buffy
posteriorly.

55 *Coccyzus minor meeki* 291.
Underparts deeply colored. buffy throat band.

56 *Hystrix rufigularis*. 420.
abov, sides of head orange, & sides of
chest pale olive gray. Prim. deep chest
nut or bay - Chin, throat, Chest, breast
& upper abdomen uniform chestnut or
bay. Abdomen, flanks, & wings light
ochreous tawny, fading into pale
buff on under tail coverts.
T. mostly black. tipped white.

Bill shorter, deeper, thicker, & more
decumbent.

57 *Sauriothera dominicensis* 390.

Bill longer, more slender & straighter.

Above plain soft smoke gray.

Cars, neck, fore neck, chest, & upper
breast pale smoke gray.

Chin, throat & lower margin deep buff.

Lower breast, abdomen, flanks, wings,
plain ochraceous buff.

58 *Crotophaga ani* 328.

59 *Aratinga Chloroptera chloroptera*

300

60 *Amazona Vittata* 290

(Swift)

61. *Nephthecetes niger* 6

Entire plumage dark brown, slight
greenish reflections when held to light.
Forehead slightly washed w. white.

62 *Melisuga hirundinina* 2.70

63 *Sporadix elegans* 4

64 *Tenrecogon roseigaster* 11

65. *Ceryle alcyon*

66 *Jodus sebularius* 4.35
width bill at middle .20

67 *J. anguillirostris* 4
width bill at middle .17

68 *Picumnus lawrencii* 5.10

69. *Centurus striatus* 9.

70. *Strix glauca* 13.50

Gen. plumper dark brown, shading
into orange rufous in sides of neck.
Face dull gray. ante orbital spot
black. Circle of feathers around

face deep chestnut.
Tarsus not feathered to feet.

71. *Spectre Cunicularia* G.

72. *Accipiter fuscillatus* 11.50
paler than *A. fuscus*.
W. 7 J. 5.50

73. *Rupornis ridgwayi*. ♂ 13.75
♀ 14.50.
♂ ab. slatey brown. Sides of portions
of head upper back dark brown.
Underparts slatey, faintly touched w/
refuse in belly & abdomen. Chin
dull white. Shoulders slightly rufous.
& faintly pencilled w. indistinct fine
lines. Wings ab. dark brown, band
w. dull white. W. 9.15 J. 6.

♀ Top of head & most breast chestnut,
becoming darker on back. Fringe
of back & tertials edged rufous.

Underparts dark rufous. Throats
narrowly banded w. white. Thighs
showing rufous much brighter.
Trotters bands w. very fine lines.
Cristum white - Underparts of breast
slaty shading into dull white on
throat.

W. 10 J. 6.45⁻

74 *Talos columbianus* 11.
W. 7.50 J. 5-

75. *T. sparverius isabellinus*.
10 W. 7 J. 5-

76. *Pandion haliaetus*

77. *Columba leucocephala* -
ab. gray blue. Crown pure white.
bordered at nape by band of dark purple.
& below it on each side of neck, a
cap of metallic green.

Quills dark brown, lighter on
secondaries. Underparts gray-blue.
Criscent plumbous. Tail dark brown.

78. *Columba monacha*. 14.50
Head, neck & underparts W. 8.50
& some wing coverts dull purple.
rest of plumage slaty.
edges of white webs of some wing
coverts white, distinctly marking
wing.

79. *Columba caerulea* 13.50
Same plumage slaty. W. 7.50
Top of head, throat, & breast pale purple.
A broad stripe of bluish-purple
extending from sides of neck over
upper back showing bright ver-
ticular purple which blends to light

80. *Oreortyx virginianus* 8.50

81. *Oediornis dominicensis*
Moh. name "Boukera" 14.50

82. *Aegialitis vociferus* 10

83. *Ac. Wilsonius* 7.45

84. *Ac. Semipalmatus* 6.75

85. *Himantopus palliatus* 17.40

86. *Himantopus mexicanus*
13.50

87. *Tringoides macularius* 7.10

88. *Eudocimus albus* 23.50

89. *Ardea rufa* 29.

90. *A. candidissima* 22

91. *A. cocoi* 23.

92. *A. virgo* 16

93. *Araamus pictus* 35

94. *Parra gymnostoma*. 9

95. *Galinula Galicta* 13

96. *G. martinica* 11.

97. *Tulie americana* 14.75-

98. *Phoenicopterus ruber*.

99. *Dendrocygne arborea* 21.

Head w. black band on crown, W. 11.25
continuing in narrow stripes on neck.

Forehead down yel reddish brown, shading
into dull white on throat, & mottled
brown or white on sides head & neck.

Breast & upper parts brown & the
feathers broadly edged w. livery.

Rump & tail black; underparts brownish
white heavily spotted & banded upon
sides. Spots small & faint on
abdomen.

100 *Dafila sabinius*. 19.
Gen plumage tawny W-8,
marked with dark W.
Vandy w. feathers give black show
Top of head & neck brown finely
marked w. dark brown. Rest of
neck white. A triangular
dark patch on each side of upper
mandible. Legs and T. tawny, be-
coming pale at tip.

101. Querquedula discors.

102. Sula leucogaster

103. S. leucogaster

104. Pelicanus fuscus

105. Tachypterus aquilus

106. Phaethon lepturus.

wood duck

62. A. *Lamponix dominicus*

Entire upparts yellow green.
4.90

Throat bright golden green. Breast &
belly purple black. Flanks green
showing spot of white - on n. 7.
feathers violet purple - median feathers
bronze green

Sporadix ricordii elegans

(Forked tail)
(*Ricordia swainsoni*)

Tamana name for Solenodon?
(hóorow) juvon (Púron)

Santa Clara forked marmoset
(Colt - 14 - 15 inches long) in posses-
sion of a druggist (Dr. Delgado)
at Puerto Plata
said to be found in mountains & hills
locally ~~in~~ Juan - or Don Juan.

Do D San Lorenzo Samana B.
Gabb said in corus best -

Cape Macao, I. Engano
Ormes W. Ilocos & Samar I.

Meller's and Nachtigall
Samar + Port de Paix
Patagonias Squamosa ^{Scaly necked} Pigeon.

L. 366 w. 208 J. 137

H. Upper neck all around & chest plain
dark purple drab to vinaceous slate; nape
rich dark purple brown, forming a crescentic
or shield shaped patch. Hind neck metallic
dull purplish changing to bluish green &
violet, the feathers sharply incised
w. rich dark purple brown, producing
serrate effect. Rest plumage pale
slate, darker on primaries & tail, pa-
ler below. This shading gradually into
purple drab of breast.

B. Lake red, white or yellowish at tip.
His inner ring scarlet & center of yellow.
Base orbita. Space dull red.

Bat nets 10 big hand held
32 aux. barrel small mesh
32 shot cartridges -

108 Ocio

109 Cuckoo-shrike - - - -

110 Lopul - - - -

Poncho. *Strix leptogrammica*

Ring down - throat white banded

272 - W. 161 - J 112

Pileum & nape cinnamon buff
across upper hind neck narrow
band of black. Hint neck, Back, eyes
along wing coverts plain cinnamon
to light cinnamon.

Prim. & prim. coverts drab.

Buffy white on chin.

111. *Dendroica aestiva*

2 ♂ shot Port de l'Orme -

June 27 - 17

Organized town when
your friend in mts.
etc. Organize & service
mt " "
S. close to Dajabon

also shot at Tortuga Jan 29 - Feb 10

Opal 1 - 4 May -

Antrostomus vociferus

Gallinago carolinensis

Mimus dominicensis

D. maculicauda

D. coronata

Panurus dominicensis

S. superciliosus

L. castaneilla

Oriolus tenuirostris

P. Trochilus fulva seen

Vireo olivaceus

" " " new name extra

Loxigilla noctis [tortuga]

Icterus dominicensis

Guiraca rufa

Tyrannus dominicensis

Myiochanes dominicensis

Aethopyga saturata

Calypte anna

Dicaeum cruentatum

Crotophaga sulcirostris

Phaethon lepturus

Portuguese orchid

Melastoma sp. Meissner

Leptospermum sp. Meissner

Strobilanthes woodii

Ligustrum sp. Meissner

Ardisia crenata

Cyathodes pterostylis Meissner

Ardicella viscosa Meissner

Hamelia laevigata

Heuchera sp. Meissner

Grevillea pectoralis Meissner

Cyrtandra pulchra

Chloranthus sp. Meissner

Dolichognathus oriziformis

Big groundsel called

"Chat floral" by Rattray -
Port Moresby

Off Bayle bird called

Hornbill hornbill

Oceanites belcheri

Vireo olivaceus

Nyctiphrynus griseus yellow-crowned

Night heron

Bittern (red bill)

Sterna nivea

Crested tern

Aethia galericulata (curly)

Pelican for curlew (long)

Dendrocygna autumnalis

Pig-blue heron seen

Additional Bayti birds from
Richmond list

1. *Aestrelota haemorrhoa* (Bennett).
2. *Elania cherihi*
3. *Anas acuta* *sordidissima*
intermedia
4. *Silvia muchalis*
5. *Mugiodactylus griseicolor* *cherihi*
(out of wood)
6. *Limnocephalus* ??

Bicks new birds

Oreopelia leucomelophis
♂ Broad white frontal band, meeting at
over eyes. crown, occiput, nape, & sides
of neck greenish slate.

Head well defined from mulberry par-
ple of back & scapulars, wh. extends
broader to sides of breast. & in some
specimens only leaves a narrow greenish
slate pectoral strip.

Rump upper ♂. contrasts from acetic to
dull bluish violet. ♀. yellow uniform
dark neutral gray.

W. externally mouse gray. Inner webs
of primaries & second. tawny russet.
Under W. cinnamon cinna mon.

Throat slatey. sides slatey. Center of
abdomen grayish.

♂ W. 146 - 156 T. 88 - 102

♀ W. 144 - 158 T. 85 - 91

+ Los Caobos

Mt. Tina, Tibbons Prov. Azua

Constantia (young) + Honda (spair)

Richmond's 2 new species.

Microsiphonorhis cruentus.

Nasal tubs

upper parts brownish gray.

Crown finely vermiculated w. white & brownish. Light buff coral streak.

Back & up. J. corals ~~are~~ brownish gray
Vermiculated w. buff.

Throat & pectoral band white.

♀ W. 119 J. 94. Culmen 8.5-

Jaws 23.

Tubano. Prov. Azua.

Microtigris montana

Similar to *M. polioptilis*, but supra-coral
stripe, anteriorly of 2^d & 5th primaries?
& end of 3 or 4 outer J. feathers white.

J. gray, undroplets whiter. B. stolid.

♂ W. 67-69 J. 68-70.

Mt. Tina & Mt. Rucilla.

El Rio - W. L. A.

Nyctibius griseus abbotti. 448.

Vireo crassirostris tortugae 131.

Peters new swift

Strepto-Zonaris melanotus
Proc. New Eng. Zool. Club.

Gray Corp. swift. W. 180-225.

color plain blackish or sooty
w. white collar

Bartsh's 2 new sp.

Porzana flavirostris hendersoni
W. 65 J. 20 Jul. 15 - Is. 22.

Ivory Caiman.

Dendroica petechiae albicollis
(Chestnut sides)

W. 62 J. 50.

also got *Dendroica pennsylvanica*
(chestnut sides)

greater & lesser yellowlegs
copper rail *Rallus longirostris* subsp.?
west. sandpiper
Cranchia pusilla

Bartsch cont'd.

Least Sandpiper *Tringoides*
minutus ~~franklini~~.

Pied billed gull.

Larus ridibundus pacificus antillarum

Masked duck said to be found
like mud, stiff tail duck.

Large "Endornis (Boa) of
Moline - Jan 29 - 18

Total lg. 2170 of wh.
Tail was 200

Cayemite Id.
Jan. 3 - 15th 1918.

Birds observed in addition those
shot & skinned -
Large blue heron
white egret
Meliauge catherinae
Lamponius swamps
King fisher
Tropic bird
royal tern (cruel)
gray Kingbird
antillean killdeer plow.
Phaethon catiscy

Left Jerome Feb. 14th

Gonave Id.

Feb. 18th to Feb. 28th 1918

In addition to those seen
several others noted

1. *Buteo tricinctus?* several seen,
one shot at -

2. Frigate Bird - a few seen.

Dendroica tigrina common esp-
cially on the hills.

Parrots - not numerous

Lake Assuer

Mar. 5 Mar. 13th 1918

a large hawk seen, not shot.
probably Fish hawk

Left at Gendarmerie
at St. Marc-Haïti
April 26th 1918

a locked box containing
about 100 # carb.

10shot 12 box
+ 2 150 # 11 shot
half charges

+ some botanical drying
paper.

Any one from Smithsonian
can have the box

Catolimite Id.

Sep. 10 - 12th 19

Saw Fish hawk 10th
Many Barn swallows flying
Southwards.
Kingfishers 11th

Saw a Wood Hen fly across ~~about~~
into Saona Id. Sep. 11th

Black bird sp.? seen on Saona
Feb. 13 & 14. abt. 7-8 inches long
in dense forest.

S. Ulysses Espejeliat

Santiago - S.D.

Knows about the Vulture
(*Pagisodubia*)

Fish hawk (Pandion) seen at
Sanchez Feb. 9th - 19. good view of,

Lieut Nickinson (U.S.N.) informed
me that he had shot green winged
teal & wood duck near San Domingo
city & also what appears to have
been a Muscovy duck.

Dulus now nest building at Sanchez.
Feb. 11th - 19.

Feb. 13-19. Sanchez.

D. coeruleocephalus common.

Feb. 18. Sciurus aureopilus common

" 20. Porula americana seen.

Mar. 6. Laguna Minch-Varia &
yellow-billed curlews fairly common.

Pair fish hawks seen daily for
several days off mouth of
Yuma R. abt. Feb. 18-28

1919

Nesting of Amazona Vittatalis
Laguna, near Somoná. S. D.

Mar. 5. 1919.

Nest was in a hollow "Verbain" tree
The tree half dead stood in a clearing
100 yds fr. house & some pr. edge of woods.
The tree was hollow throughout, but the
lower $\frac{1}{2}$ of hollow was filled with dirt
& debris. The entrance hole was abt.
22 feet fr. ground, but the ~~bottom~~ nesting
on the dirt at bottom was abt. 15-
ft. from ground. There were 2 yg. birds
~~entirely~~ naked except for pin feathers.
apparently 3 weeks old.
The hollow in tree was abt. 9" in diam.

Egg of Tyto Glareola. May 28-1919.
brought by John King in hollow palm
tree. 20' fr. ground.

Progne dominicensis?

Petrochelidon fulva (most numerous) were nesting or building in the rocky islets on S. side of Samaná Bay Mar 24th. - Those shot did not have testicles much enlarged, & no eggs could be found in the few nests accessible - probably, but not yet as yet laid eggs.

Dulus dominicus still nest building at Cays Hondo, Mar. 20th.

Pelicans not yet too nesting -

Columba livia nota apparently nesting in Mangroves - San Láz. Bay

was not yet nesting "

Columba trocaz apparently nesting at Laguna.

Eriocnemis dominicensis? a few small ducks possibly this species was seen at Laguna de diablo. 3 hrs. from Laguna. March. 12th long kept in middle of lake, out of range of water lot deep & wide.

Constanta.

Ap. 11. A boy took me a pair of young Sparrow hawks, fully fledged, nearly ready to fly - We saw the found them in an old woodpecker hole, 12 ft. fr. ground in a large tree.

Ap. 7th a community of Sigs (Dulus) abt. 6 pairs, are nesting in the top of a large live pine abt. 80-90 ft. fr. ground. on outskirts of village (Constanta). Nest is abt. twice as big as above.

..

Pine Warbler 1919.

A ♀ shot at El Rio on
May 13 had eggs almost ready
for laying (nest day).

Shot in pine forest on Road to
Oparabocón

Pair *Corvus solitarius* shot at
Constanza Apr 7th. Had completed nest
in pine tree 35 ft. from ground - No
eggs.

Other crows seen during next few days
were still nest building.

Bullock's Dove. Seen flying with sticks
for nest at Samaliz. June 4th 1919.

Corvus leucogaster
common at Port Rincon Nelson
Samana peninsula Aug - 1919.
May b. 100 pairs in that neighbor-
hood. very noisy - easily called up
& not shy.
Some seen at Lajana 2 miles
eastward of Rincon.

Dafila acuta

Major of Marines
said he shot a number of these
the present winter 1919-1920.
near Port au Prince

Contents of stomach of
Plegadis garzuna

Lake Enriquillo - Oct. 3 - 19.

Contained small bivalves, & other
shells.

Birds observed at Cobanilla Id.
Sep. 10-12 - 1919.

Pelicans breeding on N. end.
Migr. 100 nests. Young still
unable to fly.

Barn swallows numerous flying
south.

2 or 3 pairs Gray King birds.

2 or 3 King fishers.

Fish hawks several.

Many Larus atricilla.

Saona Id. San Domingo
Sep. 12th - 18th 1919

gray Kingbirds common
small cuckooos several seen
Loxigilla violacea ??
white ear, white belly -
black throat
Barn swallows numerous
Phoenicophaeus sordidus
several seen
Southern domino on shore
Gould doves
1 wood ibis seen

willet
dunlins common
great & lesser yellowlegs
Tringa macularius
Larus atricilla
Sturna antillarum
Sturna largyr
Royal tern
brown booby
frigates.

Buteo vociferus several seen.

Nesting place of Aratinga
chloroptera near Fonds Parisien
on shore of Etang Saumatre

May 17ⁿ 1920

Two dead fan palm trees were occupied
about 70 feet high. in a grove of fan
palms about $1\frac{1}{2}$ miles west of Fonds
Parisien.

about 20 nests ^{holes} seen in the tree & 13 in the other - nearly all occupied.
The nests were the enlarged
nest holes of Chrysepos striatus -
which species still occupied a hole in
coconut palm.

I cut down the tree with 13 holes - the ^{nest} broken in several pieces in falling.
One young dead parrot was in one hole
killed by the fall. & the hatched egg shell
in same hole. The other nest holes
were empty.

The tree was pretty rotten, & the last at
side a mere shell.


The nest holes all had a mass of fine
chips at bottom.


The birds were moving vigorously, & were

~~nesting~~ ^{signs} every time, allowing approach within 2 or 3 yards.

Dubus dominicensis nesting at Furey (circ. 1000 m) May - 1920 making small nests - 1 foot (circ.) in diam. of pine needles in tall pine trees instead of the usual high commanding sites of this species.

also at Fonds Vaouth (Mission) a big nest seen in a tall pine. one tree at Furey had 4 of these smaller nests - each apparently occupied by 2 pairs.





Left at Sanchez - June 6-19.

11 Packages.

1 big box big tent.

box or. 450 cart.

4 Mule boxes (small, collecting)

2 long " one cart, old cart

1 " w. gun in case.

sabt. 400 320 short cart.

1 brown bag. w. shoes, blanket.

1 tarp. w. 2 small tents

1 bag. tent poles.

Left at Sanchez Sep - 19.

big box with tent & 2 carts -
cart.

2 mule boxes

1 brown canvas bag. heavy shoes.

1 long box charts. cart

1 telescope with woolen cloths
under Pop Hagan's bed -

Left at Sanchez Feb. 24-19

Big bag w. saddle tent etc.

1 brown bag span clothes & bedj.

2 long boxes

1 cart-bag

1 long gun box

1 paper telescope

tents & poles

2 mule boxes

May 9th Shot ♀ Hylocichla naevia
Gulosa below Hondo on Rio Grande
had well developed eggs. & one
egg with unusually bad shell
was obscured with shot.
Bird was killed by mis take with
heavy cartridges.

Swifts of 3 species were at
the clearing above Hondo in the
evenings abt. 6 P.M.
also a large swift flying
night far - *Nyctibius abbotti*.
(Don Juan's) went with us.

Echimique, a cripple at
Azua who knows about
pottery & Indian remains.

Plagiodontia said by
Huntington (engineer), to
exist between Payáos &
Questo Blanco & old & new
Camino Real.

Priest at Jarabacoa said there
collection of Indian arms.

May - 1919.

Collection of Indian arms at S. L.
de Macoris sold abt. Mar. 19 - to
Ayuntamiento of Santiago for \$350.
Said to have contained 2-300 articles,
including small pieces of white flint

* Propr. Tortuga. July 1917

Length 10 $\frac{1}{2}$ feet
width 3 $\frac{1}{4}$.

Bottom of 7 logs.

sides bulwarks

2 logs about

1 foot high

stem like a plank

or 2 logs with

a wood stool or

fork for sculling

bow either off

open or closed

with plank pointed

as drawing. or

sometimes one or

2 logs

3 hard wood trans-

verse strips

valence held in


place by 3 or 4

perp. hard wood.

4 pegs.

Or composite or Colon fl.

The last usually longer than log & all wood.



These or similar rafts are sometimes used in Samana Bay.

Potomac

13 ft. long & wide
ms ends w/ bilwoks
2 cross pieces only
well glazed cotta flu.
loop.

Potomac
bottom pointed about
8 loops in bottom
of cotta flu.
bottom loop spread
sides of 2 long平行 loops
10 $\frac{1}{2}$ feet long - 4 ft. wide
sides 1 ft. high
bottom single plank
marked for studding.
3 transverse strips laid
bottom together.
3 pieces each side

"Praepni" on portico

Besse Tm

10 $\frac{3}{4}$ feet long by $3\frac{1}{4}$ wide

7 logs bottom

2 sides (inwards) 2 logs

Cuts 2 logs each

prepared by sawing notch

on either side

inch of trumpet

4" to 6" dia.

3 broad wood strips from

bottom top

4 perp-pcs each side.

Kippen midas bivittata
Hirnche & Thomasseto
near Palauete
Col. Tracy informed by
Dr. Schmid also a big cow - guano.

Large shell heaps at
Port de l'Eau -
mostly corals -
principally remains of solenites
(cores of shell animals)

Boatman at Port de l'Eau
Ti K'Koon -
boat named La Perouse

wanted for Hayti except.

Indian meal 10 lbs.

Galv. Iron wire 4 or 5 sizes

Saw, hatchet, wire nails.

Traps -

No 4 shot. 50 cartt.

No. 7 " 100 "

" 10 " 150 "

" 11 " 150 "

Buck shot 6 "

400 320 rot. long. shot cartt.

absorbent cotton

common "

pins. thread.

twine.

soldering iron & soft s.

wedge top tins.

for Hayti.

box for Lamp.

2 mule trunks.

Cone gun & cartt.

iron handle for pot.

copper for alcoholics.

4 Boxes left at Sanchez

Oct. 27, 16.

one Big cow with tent, saddle
& camp beds.

One day box

one mailed box w. traps

one Kerr. box w. camp.

Left at Sanchez.

Box no 2.

25 # 11 Slick

25 # 4 u

25 # 9 u

3.0 # 7 u

25 # 10 u

1 tin Indian meal
obt, 2 clz.

Wire loops, med. & coarse
Coarse pulv, alum.

1 lb. as_2O_3

old traps -

Tent spgs. 2 Camp cot,
saddle obt.

2 lb naptheline

Left in Sanchez -
June 6th 1919.

# 320	400
115	100
10	140
7	75-
4	60
lurek.	20

Wanted for ready Tungsten
Battery # 790



Ant foraging pan - Pepper & Salt
Khaki shirts
Tinch minnow Scissors
Kuins pocket
Tooth brushes & Paste.
Indian meal
Cart.
Wedge top tree -
Sail.
Basket covered w. canvas.
Canvas game bag & Cart bag.
Rubber rings bones.
Diamond of this party.
Mus. bottles.

Span over - left with open
1/2 gun in gun bag. in bag
bag # 11.

R.B.
R. B. S.
adults and subadults

Goulders. R.B.
juvenile and adult
f. semipalpe

dry leaf litter

S.G. - S.G.
juvenile and adult

young birds
adults & subadults

in the $\frac{3}{4}$ m. wood
adults
juvenile $\frac{3}{8}$ hrs 1
end winter
all stages with
water

2500 ft
Engelmann spruce



avg 20 - 30 mm - 20

~~Aug 11, 1961~~
~~1961~~

11.9

5.94

7.66

total t

330, July

2140, Aug.

1000, Sept. N.W. 1961

11.22 1961

Aug. 11, 1961

total cost of supplies
and equipment

Black Papilio w. tail -
one spec. in Paris - Bayti-
now roundish yellow spots near
edge of fore third wings,
another incomplete row inside
other row on fore wing.
small linear yellow spots on
edge of secondary.
wingspan abt. 4 1/2

also Papilio tenebris
like small Ithoas.

→ & P. — —

Sept 1873 1900

J. cheq B. 1211798 for \$50

Cashed Samane. R.D.

by J. Lamplie Aug. 16.

1211799 dict

J. Lamplie

Sep. 5, 1916.

1211800 J. Lamplie

Sep. 15th Samane

1211801 } Cashed at Sanchez. R.D.

1211802 } Oct. 26. 16. by
R. Bank of Canada.

Lift Sanchez Oct 27th 16 for M.V.

Mos. cheques continue to
B. 1211807

Allen & Hanley's
Cystazol for Cystitis

ex. Port de Paix Jan 24th 07

300000
1024451.81

Flora d'Haiti

by Dr. A. Descaudel

Paris 1806 - 1810 circ.

Haiti

Jacoute (Jacot)

balm oil saddle bags

Mahkott ^

